

# Wireless Batteryless Switch



CT-LCEF5013-WS

## Introduction

One of the biggest features of wireless batteryless switch is that it does not need any line and can be placed anywhere in the area to achieve the smart control. It can be used to link a variety of smart devices, such as appliances, lighting, etc., in order to set into several scenarios to bring your life more convenience.

With the no wiring configuration and easy device expansion, the batteryless switch is suitable to be used in places like homes, offices, hotels, etc. Such wireless devices save you the most on the setup and future costs.

## Feature


- Support local and remote control;
- Mechanical energy power supply,
- User-friendly set and scenario control

## Specification


1. Wireless protocol: EnOcean 868.3MHz
2. Data rate: 125kbps / FSK
3. Power requirement: mechanical energy (No wiring and battery)
4. Operating temperature: -30 °C ~ +60 °C
5. Operating humidity: 0% -95% RH
6. Dimension: 86mm×86mm×18mm

## Using Instruction

- 1) Choose "EnOcean" and the corresponding gateway as well as enter in device ID on APP, then click "Save";



- 2) Press the lower left and lower right button at the same time within 8 seconds;



Press at the same time

- 3) When prompt a message "Request Access Success", go to the device list interface to refresh the device list. The device will be displayed.

## Safety Notice

- The device requires the latest software; otherwise the status may not be accurate.
- Do not operate this wireless communicated product in a metal box to prevent the signal being shielded.
- Should be installed in the place without rain and snow invasion as well as the gas and dust that will corrode the metal and damage the insulation.
- Do not exceed the communication range when using.

Hioth Integrated System